

Bituminous Transport



Bituminous Transport FEATURES

- Quick opening DOT 406 compliant manhole
- Custom design and tank sizes. Built to individual customer requirements
- Rear discharge valve. 6" valve, complete drainage
- Unique and durable jacketing system

The Asphalt Tank

Built for Hot Products



Specifically designed and manufactured to your specifications.

Etnyre specializes in building aluminum and steel Transports specifically tailored to individual requirements.

Tell us your special needs ...


- high temperature bitumen
- lubricating oils
- coal tar and pitch
- other hot products up to 600° F.
- axle configurations

Put our experience to work for you.

Etnyre has been a leader in the asphalt industry since 1898. For more than 100 years E. D. Etnyre & Co. has designed and built the equipment that sets the standards for performance and reliability.


Whatever your job, our renowned dependability and proven commitment to customer satisfaction makes Etnyre your most reliable choice.

Road-proven designs keep you operating on schedule




Quick opening DOT 406 compliant manhole. Large L shaped catwalk standard with options for 1, 3 or 4 sided.

Heated Tanks.
Diesel and LPG Burners available.
Steam heat available.



Optional Front Pump Off Valve. Pump-off quickly, easily, safely. Position of valve body insures drainage. Load heat keeps valve free. Includes 8' front hose trough.



Rear Discharge Valve. 6" valve, complete drainage.




Aluminium or steel, quality is always the number one ingredient.



Etnyre should be your Asphalt Tank




Three efficient tank designs built with pride




ARA LWR

Cylindrical tank offers ultimate payload in a lightweight, round tank.



T-ARA TR-6

The tapered round tank provides optimal load distribution and fast, complete drainage.



ADTR DTR

Double tapered shape offers a low center of gravity with center discharge and fast drainage.

- ✓ Hot product tanks built with steel or aluminium construction.
- ✓ Built to applicable federal regulations.
- ✓ Unique and durable jacketing system.
- ✓ Quick opening 20" manhole manufactured by Etnyre.
- ✓ Large, insulated surge and vent system.
- ✓ Hot product valves manufactured by Etnyre for asphalt.
- ✓ Custom design and tank sizes. Built to individual customer requirements.

1333 South Daysville Road, Oregon, Illinois 61061
Phone: 800-995-2116 or 815-732-2116 • Fax 815-732-7400
Web Site: www.etnyre.com • E Mail: sales@etnyre.com

E. D. Etnyre & Co., whose policy is one of continuous improvement, reserves the right to change specifications without notice. Photos and illustrations contain standard and optional equipment.